Serial No.: 09/504,631 Attorney Docket No.: 00P07463

## IN THE CLAIMS:

This following is a listing of the claims in the application:

1. (Previously Presented) A modern, comprising:

a signal detector adapted to receive a signal, the signal including a data component and one or more echo components, said one or more echo components comprising one or more far end echo components, said data component comprising a return signal from a remote modem;

a timing unit adapted to identify delays of said one or more echo components; and

an echo cancellation unit adapted to cancel one or more echoes at said modem once said delays have been identified.

- 2. (Original) A modern in accordance with claim 1, said data component comprising a sinusoid at a predetermined frequency.
- 3. (Original) A modem in accordance with claim 2, said one or more echo components comprising signals at substantially said predetermined frequency and at differing amplitudes.
- 4. (Original) A modem in accordance with claim 3, said timing unit adapted to identify said delays by determining periods between peaks of said data component and said one or more echo components.
  - 5. (Previously Presented) An echo cancellation method, comprising: transmitting a training sinusoid to a remote modem; receiving a return signal, said return signal comprising said training sinusoid

Serial No.: 09/504,631

Attorney Docket No.: 00P07463

received from said remote modem and one or more echo signals having substantially the same frequencies as said training sinusoid;

identifying echoes by determining delays between peaks of said return training sinusoid and peaks of said one or more echo signals; and

canceling echoes based on said delays at a transmitting modem.

- 6. (Canceled)
- 7. (Previously Presented) An echo cancellation system, comprising: means for transmitting a training sinusoid to a remote modem;

means responsive to said transmitting means for receiving a return signal, said return signal comprising said training sinuosoid received from said remote modern and one or more echo signals having substantially the same frequencies as said training sinusoid;

means responsive to said receiving means for identifying echoes by determining delays between peaks of said return training sinusoid and peaks of said one or more echo signals; and

means for canceling echoes based on said delays at a transmitting modem.

- 8. (Canceled)
- 9. (Previously Presented) A method, comprising:

receiving a signal at a modem, the signal including a data component received from a remote modem and one or more echo components;

identifying delays of a plurality of echo components; and cancelling one or more echoes at said modem once said delays have been identified.

Serial No.: 09/504,631

Attorney Docket No.: 00P07463

- 10. (Original) A method in accordance with claim 9, said data component comprising a sinusoid at a predetermined frequency
- 11. (Original) A method in accordance with claim 10, said echo signals comprising signals at substantially said predetermined frequency and at differing amplitudes.
- 12. (Original) A method in accordance with claim 11, including identifying said delays by determining periods between peaks of said data component and said one or more echo components.
- 13. (Previously Presented) A method for canceling multiple echo signal components, comprising:

transmitting a training signal from a local modem to a remote modem; detecting a return signal, said return signal comprising said training signal and one or more echo components;

compensating for said one or more echo components at said local modem; and transmitting echo-compensated data signals from said local modem to said remote modem.